





INTRODUCTION

Tactio by CSI Wall Panels invokes one's sense of touch by connecting people with the soft nature of the material used in these popular ceiling panels. Manufactured from a highly acoustical material our Tactio line of ceiling panels are intended to bring a warm, soothing experience to any interior room while providing necessary sound absorption and noise dampening. Available in multiple sizes, thicknesses, colors and edges; our Tactio ceiling panels are Class A fire rated and are intended for use in suspended/drop ceilings. In addition to transforming rooms aesthetically from the heathered appearance of the material fibers, Tactio ceiling panels are 100% recyclable and sustainable due to the majority of the material content originating from recycled plastic.

FEATURES



People & Environmentally Friendly

100% recyclable, VOC free including formaldehyde, non-toxic and non-allergenic.



Weather Resistant

Will not deteriorate, rot or change color and is non-hygroscopic.



Sustainable

Majority of material content comes from post consumer recycled plastic and offers LEED credit contribution.



Fire Rated

Complies with building fire codes with a Class A rating per ASTM E84.



Acoustical & Sound Dampening

Outstanding acoustical performance for sound absorption and transmission.




Durable

Impact resistant and shock absorbent.



Tackable

Pinnable surface with superior holding characteristics.



Insulative

Provides thermal insulation to any surface.

SPECIFICATIONS

NAME	TACTIO
CONTENT	PET
TILE THICKNESS	0.35" - 1"
TILE SIZE	24" x 24", 24" x 48"
DESIGN OPTIONS	SEE SELECTION
DURABILITY	IMPACT RESISTANT, SHOCK ABSORBENT
WEATHERABLE	NON DETERIORATING, ROT RESISTANT, COLORFAST, NON-HYGROSCOPIC
MAINTENANCE	CLEANABLE WITH VACUUM OR LIGHT DUSTING
LEAD TIME	1-2 WEEKS
ENVIRONMENTAL	LEED® v4, VOC FREE, MADE FROM RECYCLED CONTENT, 100% RECYCLABLE, NON-TOXIC, NON-ALLERGENIC
INSTALLATION	LAI D INTO A METAL GRID THAT IS SUSPENDED FROM THE CEILING
CUSTOM	CUSTOM DESIGNS AVAILABLE
ACOUSTICS	0.32 - 0.7 NRC
FLAMMABILITY	ASTM E84 CLASS A




DETAILS

1


TYPICAL ROOM FLOOR PLAN

Enriched design composition as the tiles are color balanced through installation.



2

RECOMMENDED BALANCE



3

PERSPECTIVE


Tactio texture brings warmth and flexibility to the space.



4

TILE PLAN VIEW

Tactio tiles provide excellent acoustical absorption and durability.




DETAILS

5

ISOMETRIC


Enriched design composition as the tiles are color balanced through installation.



6

TEE GRID OPTIONS

Tactio tile is easy to install in exposed grid systems.



DETAILS

7

WATERCOLOR PALETTE

Ideal to soften a neutral space.



WHITE




GRAY



LIGHT GREEN



OLIVE



OCEAN



BLACK



EMERALD



PISTACHIO



COBALT



YELLOW



DARK GREEN



RED



9901 West 74th Street Eden Prairie, MN 55344 USA
800.213.0653 CSIWALLPANELS.COM INFO@CSIWALLPANELS.COM

Tactio **CSI**
Wall Panels